



Office for Health
Improvement
& Disparities

Briefing note: QOF 2021/22 Management of hypertension in the South East

Understanding the data and the recovery from the COVID-19 pandemic

National Cardiovascular Intelligence Network - December 2022

The purpose of this briefing pack

NHS Digital recently released the Quality and Outcomes Framework (QOF) 2021-22, referencing caveats on reporting the data due to the pandemic. NHS Digital have stated that due to the impact of the COVID-19 pandemic on activity in general practice, payment protection has been applied to the QOF service and may affect QOF activity and/or its recording in 2020-21 and 2021-22. This means that comparisons with data from previous years could be misleading.

This pack presents the 2021-22 data alongside data from the previous 2 years to illustrate the impact of the pandemic on the recording of the blood pressure (BP) management indicators. We hope this information will help NHS England and Office for Health Improvement and Disparities (OHID) CVD regional leads to support local systems during the pandemic recovery period.

For all years of data, practices have been mapped to the Region, Integrated Care Board (ICB), sub-ICB location and Primary Care Network (PCN) configuration current on 7 July 2022. For practices that do not appear in each year of data, these have been mapped as closely as possible to this configuration to allow comparison between years. Please note, it is not always possible to map the exact same practices to a given area between years. A small number of practices had to be manually assigned to an appropriate PCN, so the data could be included.

Acknowledgement

The original development work for these packs was led by the OHID South East Local Knowledge and Intelligence Service (LKIS).

What does this pack show?

This pack demonstrates a significant change in the QOF hypertension data recorded across practices in England.

There were 147,000 more people on the hypertension register in 2021-22 than in the previous year. The number of people on the register was 90,000 more than the number in 2019-20.

Nationally there has been a 11.5% increase in the proportion of people on the hypertension register who have been recorded as treated to target, however this is still 10% lower than the 2019-20 figures. An individual is recorded as treated to target only if their GP record contains a BP reading in the last 12 months which is below the threshold for their age group. Therefore the proportion not treated to target will include any patients on the hypertension register who do not have a recorded BP reading within the 12 month period. These patients may still have BP that is well controlled but unrecorded in the GP record.

The data reported in this pack is historic and it is possible that BP data recording is continuing to improve.

The 10 year ambition for hypertension treatment is also displayed in the charts for comparison. This ambition is that 80% of the total number of people diagnosed with hypertension are treated to target as per NICE guidelines by 2029.

Other considerations


Pressure on NHS and primary care services has been considerable during the pandemic and it should be acknowledged that:

- Given the additional workload in primary care caused by the pandemic it is possible that blood pressure measurements have not been recorded as well as in previous years. Although people with hypertension may not have had BP levels recorded on GP systems, this does not always mean that their BP has not been managed to target. Patients may still be receiving appropriate treatment and their BP (although not recorded) could be below the NICE guideline treatment thresholds. For example, existing patients will have continued to receive previously prescribed medication.
- The majority of QOF indicators were income protected (i.e. payments were made to practices irrespective of activity recorded for indicators in 2021-22), to enable practices to direct resources towards the COVID-19 response and targeting care at the most vulnerable and high-need groups.

For further information on the income protection measures applied to QOF in 2021-22 go to the [NHS Digital QOF pages](#)

Comparison of hypertension treatment indicators by Region

Comparison of HYPALL: The percentage of patients of all ages with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is less than or equal to their age-specific target blood pressure by region, 2019-20 to 2021-22




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20
 ● 2020-21
 2021-22
 — 80% ambition

When interpreting this data, reference should be made to the points for consideration and caveats provided in slides 2-4

Comparison of HYP003: The percentage of patients aged 79 years or under with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 140/90 mmHg or less by region, 2019-20 to 2021-22




Source: NHS Digital, Quality and Outcomes Framework

When interpreting this data, reference should be made to the points for consideration and caveats provided in slides 2-4

■ 2019-20 ■ 2020-21 ■ 2021-22 — 80% ambition

Comparison of HYP007: The percentage of patients aged 80 years or over with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less by region, 2019-20 to 2021-22




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20
 ● 2020-21
 2021-22
 — 80% ambition

When interpreting this data, reference should be made to the points for consideration and caveats provided in slides 2-4

Comparison of hypertension treatment indicators by ICB

Comparison of HYPALL: The percentage of patients of all ages with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is less than or equal to their age-specific target blood pressure by South East ICBs, 2019-20 to 2021-22




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, reference should be made to the points for consideration and caveats provided in slides 2-4

Comparison of HYP003: The percentage of patients aged 79 years or under with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 140/90 mmHg or less by South East ICBs, 2019-20 to 2021-22




Source: NHS Digital, Quality and Outcomes Framework

When interpreting this data, reference should be made to the points for consideration and caveats provided in slides 2-4

■ 2019-20 ■ 2020-21 ■ 2021-22 — 80% ambition

Comparison of HYP007: The percentage of patients aged 80 years or over with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less by South East ICBs, 2019-20 to 2021-22




Source: NHS Digital, Quality and Outcomes Framework

When interpreting this data, reference should be made to the points for consideration and caveats provided in slides 2-4

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

Comparison of hypertension treatment indicators by sub-ICB location

Comparison of HYPALL: The percentage of patients of all ages with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is less than or equal to their age-specific target blood pressure by South East sub-ICBs, 2019-20 to 2021-22




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, reference should be made to the points for consideration and caveats provided in slides 2-4

Comparison of HYP003: The percentage of patients aged 79 years or under with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 140/90 mmHg or less by South East sub-ICBs, 2019-20 to 2021-22




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, reference should be made to the points for consideration and caveats provided in slides 2-4

Comparison of HYP007: The percentage of patients aged 80 years or over with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less by South East sub-ICBs, 2019-20 to 2021-22



Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, reference should be made to the points for consideration and caveats provided in slides 2-4

Figures for HYPALL 2021-22 - England, Region and ICB

The CVD prevention programme set a 10 year ambition for hypertension. This ambition is that 80% of the total number of people diagnosed with hypertension are treated to target as per NICE guidelines by 2029.

| Area | Proportion treated to target | Number of patients treated to target (recorded value) | Number on hypertension register | Additional number needed to be treated to target to reach 80% threshold |
|---|------------------------------|---|---------------------------------|---|
| England | 60.4% | 5,195,518 | 8,604,841 | 1,688,360 |
| South East | 56.7% | 770,460 | 1,359,379 | 317,040 |
| Kent and Medway | 54.4% | 159,204 | 292,762 | 75,010 |
| Hampshire and the Isle of Wight | 56.1% | 159,612 | 284,559 | 68,040 |
| Sussex | 57.1% | 155,654 | 272,664 | 62,480 |
| Surrey Heartlands | 57.3% | 84,085 | 146,634 | 33,220 |
| Frimley | 57.4% | 62,747 | 109,221 | 24,630 |
| Buckinghamshire, Oxfordshire and Berkshire West | 58.8% | 149,158 | 253,539 | 53,670 |

Change in the recording of QOF Hypertension treatment indicators - England, Region and ICB

This table displays the change in patients recorded as diagnosed with hypertension and those treated to target. In England, there were 1,064,922 more patients treated to target in 2021-22 compared to the previous year. For the South East, there were 163,298 more patients treated to target.

| Area | Increase in proportion from 2020-21 to 2021-22 | Increase in number treated to target | Increase in number of patients on hypertension register |
|---|--|--------------------------------------|---|
| England | 11.5% | 1,064,922 | 147,308 |
| South East | 11.2% | 163,298 | 24,750 |
| Kent and Medway | 12.3% | 39,553 | 8,711 |
| Hampshire and the Isle of Wight | 11.4% | 34,504 | 4,474 |
| Sussex | 14.0% | 40,064 | 4,251 |
| Surrey Heartlands | 9.6% | 15,071 | 2,010 |
| Frimley | 9.6% | 11,295 | 1,681 |
| Buckinghamshire, Oxfordshire and Berkshire West | 8.3% | 22,811 | 3,623 |

When interpreting this data, reference should be made to the points for consideration and caveats provided in slides 2-4

Change in the recording of QOF Hypertension treatment indicators - sub-ICB location

| Area | Increase in proportion from 2020-21 to 2021-22 | Increase in number treated to target | Increase in number of patients on hypertension register |
|--|--|--------------------------------------|---|
| Kent and Medway | 12.3% | 39,553 | 8,711 |
| East Sussex | 14.4% | 14,374 | 1,139 |
| Hampshire, Southampton and Isle of Wight | 11.2% | 30,621 | 4,414 |
| Brighton and Hove | 11.2% | 3,686 | 331 |
| Buckinghamshire | 8.6% | 7,305 | 611 |
| Surrey Heartlands | 9.6% | 15,071 | 2,010 |
| Frimley | 9.6% | 11,295 | 1,681 |
| Berkshire West | 8.0% | 6,399 | 1,194 |
| Portsmouth | 13.9% | 3,883 | 60 |
| West Sussex | 14.4% | 22,004 | 2,781 |
| Oxfordshire | 8.2% | 9,107 | 1,818 |

When interpreting this data, reference should be made to the points for consideration and caveats provided in slides 2-4

Practice summary for HYP003 2021-22 - England, Region and ICB


This table displays the number of practices with fewer than 40% and 50% of patients aged 79 years or under treated to 140/90 mmHg or less. In 2021-22, 433 practices across England had below 40% achievement and an additional 1,119 had below 50% achievement. For the South East, 89 practices had below 40% achievement and an additional 210 practices also had below 50% achievement. The geographical distribution of these practices are detailed below.

| Area | % treated to target | Number of practices below 40% achievement | Percentage of practices below 40% achievement | Number of practices below 50% achievement | Percentage of practices below 50% achievement |
|---|---------------------|---|---|---|---|
| England | 57.2% | 433 | 6.7% | 1,552 | 24.0% |
| South East | 53.1% | 89 | 10.8% | 299 | 36.2% |
| Kent and Medway | 51.0% | 33 | 17.2% | 84 | 43.8% |
| Hampshire and the Isle of Wight | 52.4% | 10 | 7.1% | 50 | 35.7% |
| Sussex | 53.1% | 16 | 10.0% | 61 | 38.1% |
| Surrey Heartlands | 53.7% | 11 | 10.6% | 30 | 28.8% |
| Frimley | 54.3% | 9 | 12.5% | 23 | 31.9% |
| Buckinghamshire, Oxfordshire and Berkshire West | 55.3% | 10 | 6.3% | 51 | 32.1% |

Comparison of HYPALL by PCN:

The percentage of patients with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is less than or equal to their target blood pressure

Comparison of HYPALL: The percentage of patients of all ages with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is less than or equal to their age-specific target blood pressure by Sussex PCNs, 2019-20 to 2021-22 (1)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYPALL: The percentage of patients of all ages with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is less than or equal to their age-specific target blood pressure by Sussex PCNs, 2019-20 to 2021-22 (2)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYPALL: The percentage of patients of all ages with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is less than or equal to their age-specific target blood pressure by Sussex PCNs, 2019-20 to 2021-22 (3)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYPALL: The percentage of patients of all ages with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is less than or equal to their age-specific target blood pressure by Kent and Medway PCNs, 2019-20 to 2021-22 (1)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYPALL: The percentage of patients of all ages with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is less than or equal to their age-specific target blood pressure by Kent and Medway PCNs, 2019-20 to 2021-22 (2)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYPALL: The percentage of patients of all ages with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is less than or equal to their age-specific target blood pressure by Kent and Medway PCNs, 2019-20 to 2021-22 (3)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYPALL: The percentage of patients of all ages with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is less than or equal to their age-specific target blood pressure by Surrey Heartlands PCNs, 2019-20 to 2021-22 (1)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYPALL: The percentage of patients of all ages with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is less than or equal to their age-specific target blood pressure by Surrey Heartlands PCNs, 2019-20 to 2021-22 (2)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYPALL: The percentage of patients of all ages with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is less than or equal to their age-specific target blood pressure by Frimley PCNs, 2019-20 to 2021-22 (1)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYPALL: The percentage of patients of all ages with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is less than or equal to their age-specific target blood pressure by Frimley PCNs, 2019-20 to 2021-22 (2)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYPALL: The percentage of patients of all ages with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is less than or equal to their age-specific target blood pressure by Hampshire and the Isle of Wight PCNs, 2019-20 to 2021-22 (1)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYPALL: The percentage of patients of all ages with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is less than or equal to their age-specific target blood pressure by Hampshire and the Isle of Wight PCNs, 2019-20 to 2021-22 (2)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYPALL: The percentage of patients of all ages with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is less than or equal to their age-specific target blood pressure by Hampshire and the Isle of Wight PCNs, 2019-20 to 2021-22 (3)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYPALL: The percentage of patients of all ages with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is less than or equal to their age-specific target blood pressure by Buckinghamshire, Oxfordshire and Berkshire West PCNs, 2019-20 to 2021-22 (1)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYPALL: The percentage of patients of all ages with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is less than or equal to their age-specific target blood pressure by Buckinghamshire, Oxfordshire and Berkshire West PCNs, 2019-20 to 2021-22 (2)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYPALL: The percentage of patients of all ages with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is less than or equal to their age-specific target blood pressure by Buckinghamshire, Oxfordshire and Berkshire West PCNs, 2019-20 to 2021-22 (3)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYPALL: The percentage of patients of all ages with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is less than or equal to their age-specific target blood pressure by Buckinghamshire, Oxfordshire and Berkshire West PCNs, 2019-20 to 2021-22 (4)



Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition


When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYP003 by PCN:

The percentage of patients aged 79 years or under with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 140/90 mmHg or less

Comparison of HYP003: The percentage of patients aged 79 years or under with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 140/90 mmHg or less by Sussex PCNs, 2019-20 to 2021-22 (1)




Source: NHS Digital, Quality and Outcomes Framework

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYP003: The percentage of patients aged 79 years or under with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 140/90 mmHg or less by Sussex PCNs, 2019-20 to 2021-22 (2)




Source: NHS Digital, Quality and Outcomes Framework

When interpreting this data, refer to the caveats in slides 2-4

■ 2019-20 ■ 2020-21 ■ 2021-22 — 80% ambition

* indicates differing number of practices between years

Comparison of HYP003: The percentage of patients aged 79 years or under with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 140/90 mmHg or less by Sussex PCNs, 2019-20 to 2021-22 (3)




Source: NHS Digital, Quality and Outcomes Framework

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

Comparison of HYP003: The percentage of patients aged 79 years or under with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 140/90 mmHg or less by Kent and Medway PCNs, 2019-20 to 2021-22 (1)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYP003: The percentage of patients aged 79 years or under with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 140/90 mmHg or less by Kent and Medway PCNs, 2019-20 to 2021-22 (2)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYP003: The percentage of patients aged 79 years or under with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 140/90 mmHg or less by Kent and Medway PCNs, 2019-20 to 2021-22 (3)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYP003: The percentage of patients aged 79 years or under with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 140/90 mmHg or less by Surrey Heartlands PCNs, 2019-20 to 2021-22 (1)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYP003: The percentage of patients aged 79 years or under with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 140/90 mmHg or less by Surrey Heartlands PCNs, 2019-20 to 2021-22 (2)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYP003: The percentage of patients aged 79 years or under with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 140/90 mmHg or less by Frimley PCNs, 2019-20 to 2021-22 (1)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYP003: The percentage of patients aged 79 years or under with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 140/90 mmHg or less by Frimley PCNs, 2019-20 to 2021-22 (2)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYP003: The percentage of patients aged 79 years or under with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 140/90 mmHg or less by Hampshire and the Isle of Wight PCNs, 2019-20 to 2021-22 (1)




Source: NHS Digital, Quality and Outcomes Framework

When interpreting this data, refer to the caveats in slides 2-4

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

* indicates differing number of practices between years

Comparison of HYP003: The percentage of patients aged 79 years or under with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 140/90 mmHg or less by Hampshire and the Isle of Wight PCNs, 2019-20 to 2021-22 (2)




Source: NHS Digital, Quality and Outcomes Framework

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

Comparison of HYP003: The percentage of patients aged 79 years or under with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 140/90 mmHg or less by Hampshire and the Isle of Wight PCNs, 2019-20 to 2021-22 (3)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYP003: The percentage of patients aged 79 years or under with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 140/90 mmHg or less by Buckinghamshire, Oxfordshire and Berkshire West PCNs, 2019-20 to 2021-22 (1)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYP003: The percentage of patients aged 79 years or under with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 140/90 mmHg or less by Buckinghamshire, Oxfordshire and Berkshire West PCNs, 2019-20 to 2021-22 (2)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ■ 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYP003: The percentage of patients aged 79 years or under with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 140/90 mmHg or less by Buckinghamshire, Oxfordshire and Berkshire West PCNs, 2019-20 to 2021-22 (3)




Source: NHS Digital, Quality and Outcomes Framework

When interpreting this data, refer to the caveats in slides 2-4

■ 2019-20 ■ 2020-21 ■ 2021-22 — 80% ambition

* indicates differing number of practices between years

Comparison of HYP003: The percentage of patients aged 79 years or under with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 140/90 mmHg or less by Buckinghamshire, Oxfordshire and Berkshire West PCNs, 2019-20 to 2021-22 (4)



Source: NHS Digital, Quality and Outcomes Framework

When interpreting this data, refer to the caveats in slides 2-4


■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

* indicates differing number of practices between years

Comparison of HYP007 by PCN:

The percentage of patients aged 80 years or over with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less

Comparison of HYP007: The percentage of patients aged 80 years or over with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less by Sussex PCNs, 2019-20 to 2021-22 (1)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYP007: The percentage of patients aged 80 years or over with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less by Sussex PCNs, 2019-20 to 2021-22 (2)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYP007: The percentage of patients aged 80 years or over with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less by Sussex PCNs, 2019-20 to 2021-22 (3)




Source: NHS Digital, Quality and Outcomes Framework

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

Comparison of HYP007: The percentage of patients aged 80 years or over with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less by Kent and Medway PCNs, 2019-20 to 2021-22 (1)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYP007: The percentage of patients aged 80 years or over with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less by Kent and Medway PCNs, 2019-20 to 2021-22 (2)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYP007: The percentage of patients aged 80 years or over with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less by Kent and Medway PCNs, 2019-20 to 2021-22 (3)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYP007: The percentage of patients aged 80 years or over with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less by Surrey Heartlands PCNs, 2019-20 to 2021-22 (1)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYP007: The percentage of patients aged 80 years or over with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less by Surrey Heartlands PCNs, 2019-20 to 2021-22 (2)




Source: NHS Digital, Quality and Outcomes Framework

When interpreting this data, refer to the caveats in slides 2-4

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

* indicates differing number of practices between years

Comparison of HYP007: The percentage of patients aged 80 years or over with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less by Frimley PCNs, 2019-20 to 2021-22 (1)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ■ 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYP007: The percentage of patients aged 80 years or over with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less by Frimley PCNs, 2019-20 to 2021-22 (2)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYP007: The percentage of patients aged 80 years or over with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less by Hampshire and the Isle of Wight PCNs, 2019-20 to 2021-22 (1)




Source: NHS Digital, Quality and Outcomes Framework

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

Comparison of HYP007: The percentage of patients aged 80 years or over with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less by Hampshire and the Isle of Wight PCNs, 2019-20 to 2021-22 (2)




Source: NHS Digital, Quality and Outcomes Framework

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

Comparison of HYP007: The percentage of patients aged 80 years or over with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less by Hampshire and the Isle of Wight PCNs, 2019-20 to 2021-22 (3)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYP007: The percentage of patients aged 80 years or over with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less by Buckinghamshire, Oxfordshire and Berkshire West PCNs, 2019-20 to 2021-22 (1)




Source: NHS Digital, Quality and Outcomes Framework

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

Comparison of HYP007: The percentage of patients aged 80 years or over with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less by Buckinghamshire, Oxfordshire and Berkshire West PCNs, 2019-20 to 2021-22 (2)




Source: NHS Digital, Quality and Outcomes Framework

When interpreting this data, refer to the caveats in slides 2-4

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

* indicates differing number of practices between years

Comparison of HYP007: The percentage of patients aged 80 years or over with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less by Buckinghamshire, Oxfordshire and Berkshire West PCNs, 2019-20 to 2021-22 (3)




Source: NHS Digital, Quality and Outcomes Framework

When interpreting this data, refer to the caveats in slides 2-4

* indicates differing number of practices between years

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

Comparison of HYP007: The percentage of patients aged 80 years or over with hypertension in whom the last blood pressure reading (measured in the preceding 12 months) is 150/90 mmHg or less by Buckinghamshire, Oxfordshire and Berkshire West PCNs, 2019-20 to 2021-22 (4)



Source: NHS Digital, Quality and Outcomes Framework

When interpreting this data, refer to the caveats in slides 2-4

■ 2019-20 ● 2020-21 ■ 2021-22 — 80% ambition

* indicates differing number of practices between years